

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Quick-Tite – 5 MINUTE Epoxy P/N 70234 Resin

Print date: 08.05.2015

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Quick-Tite – 5 Minute Epoxy

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Adhesives, sealants

Uses advised against

any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name: The Maintenance Connection
Place: 31 Washington Ave., Scarborough, ME 04074
Telephone: 888-298-8585
Internet: www.TheMaintenanceConnection.com

1.4. Emergency telephone: 800-535-5053 (InfoTrac) 352-323-3500

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC

Indications of danger: Xn - Harmful, Xi -

Irritant R phrases:

Harmful by inhalation.

Irritating to eyes, respiratory system and skin.

Limited evidence of a carcinogenic effect.

May cause sensitisation by inhalation and skin contact.

Harmful: danger of serious damage to health by prolonged exposure through inhalation.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Acute toxicity: Acute Tox. 4

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Respiratory/skin sensitization: Resp. Sens. 1

Respiratory/skin sensitization: Skin Sens. 1

Carcinogenicity: Carc. 2

Specific target organ toxicity - single exposure: STOT SE 3

Specific target organ toxicity - repeated exposure: STOT RE 2

Hazard Statements:

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

Harmful if inhaled.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause respiratory irritation.

Suspected of causing cancer.

May cause damage to organs through prolonged or repeated exposure.

2.2. Label elements

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Quick-Tite – 5 MINUTE Epoxy P/N 70234 Resin

Print date: 08.05.2015

Page 2 of 10

Hazardous components which must be listed on the label

4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate
methylenediphenyl diisocyanate

Signal word:

Danger

Pictograms:

GHS07-GHS08



Hazard statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P284	Wear respiratory protection.
P362+P364	Take off contaminated clothing and wash it before reuse.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
P337+P313	If eye irritation persists: Get medical advice/attention.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.

Special labelling of certain mixtures

EUH204	Contains isocyanates. May produce an allergic reaction.
--------	---

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No		
202-966-0	4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate	95 - < 100 %
101-68-8	Carc. Cat. 3, Xn - Harmful, Xi - Irritant R40-20-48/20-36/37/38-42/43	
615-005-00-9	Carc. 2, Acute Tox. 4, STOT RE 2, Eye Irrit. 2, STOT SE 3, Skin Irrit. 2, Resp. Sens. 1, Skin Sens. 1; H351 H332 H373 ** H319 H335 H315 H334 H317	
247-714-0	methylenediphenyl diisocyanate	< 1 %
26447-40-5	Carc. Cat. 3, Xn - Harmful, Xi - Irritant R40-20-48/20-36/37/38-42/43	
615-005-00-9	Carc. 2, Acute Tox. 4, STOT RE 2, Eye Irrit. 2, STOT SE 3, Skin Irrit. 2, Resp. Sens. 1, Skin Sens. 1; H351 H332 H373 ** H319 H335 H315 H334 H317	

Full text of R-, H- and EUH-phrases: see section 16.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Quick-Tite – 5 MINUTE Epoxy P/N 70234 Resin

Print date: 08.05.2015

Page 3 of 10

Further Information

Product does not contain listed SVHC substances.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Take off immediately all contaminated clothing.

First aider: Pay attention to self-protection! Use appropriate respiratory protection.

After inhalation

IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Where appropriate artificial ventilation. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately. Apply cortisone spray at early stage.

After contact with skin

Take off immediately all contaminated clothing. Wash immediately with: Water and soap. If skin irritation or rash occurs: Get medical advice/attention.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Extinguishing powder, Carbon dioxide (CO₂), Foam

In case of major fire and large quantities: Foam

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide., Carbon dioxide (CO₂), Nitrogen oxides (NO_x), Hydrogen cyanide (hydrocyanic acid)

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. In case of fire and/or explosion do not breathe fumes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Remove persons to safety. Avoid generation of dust.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Quick-Tite – 5 MINUTE Epoxy P/N 70234 Resin

Print date: 08.05.2015

Page 4 of 10

Avoid exposure. Do not breathe dust. Avoid contact with skin, eyes and clothes.
Use appropriate respiratory protection.
Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Take up mechanically. Avoid generation of dust.
Treat the recovered material as prescribed in the section on waste disposal.
Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation as well as local exhaustion at critical locations.
Avoid exposure - obtain special instructions before use.
Do not breathe dust. Avoid contact with skin, eyes and clothes.
Wear personal protection equipment (refer to section 8).

Advice on protection against fire and explosion

Usual measures for fire prevention.

Further information on handling

Conditions to avoid: Generation/formation of dust
General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep only in the original container in a cool, well-ventilated place. Keep container tightly closed and dry.
Ensure adequate ventilation of the storage area.

Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances.
Infectious substances.

Further information on storage conditions

Protect against: Heat, Humidity, UV-radiation/sunlight

7.3. Specific end use(s)

refer to chapter 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
-	Isocyanates, all (as -NCO) Except methyl isocyanate	-	0.02		TWA (8 h)	WEL
		-	0.07		STEL (15 min)	WEL

8.2. Exposure controls

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Quick-Tite – 5 MINUTE Epoxy P/N 70234 Resin

Print date: 08.05.2015

Page 5 of 10



Appropriate engineering controls

Provide adequate ventilation as well as local exhaust at critical locations.

Protective and hygiene measures

Always close containers tightly after the removal of product. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Take off contaminated clothing and wash it before reuse. Street clothing should be stored separately from work clothing. Contaminated work clothing should not be allowed out of the workplace.

Eye/face protection

Recommended eye protection articles: Eye glasses with side protection DIN EN 166

Hand protection

Wear suitable gloves. DIN EN

374 Suitable material:

CR (polychloroprene, chloroprene rubber) (0,5

mm) NBR (Nitrile rubber) (0,35 mm)

Butyl caoutchouc (butyl rubber) (0,5

mm) FKM (fluoro rubber) (0,4 mm)

PVC (Polyvinyl chloride) (0,5 mm)

Breakthrough time (maximum wearing time): >480 min

Check leak tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Protective clothing.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

Respiratory protection

Suitable respiratory protection apparatus: Combination filtering device (EN 14387) Type AB-P3

The filter class must be suitable for the maximum contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	solid
Colour:	colourless - yellow
Odour:	stinging

pH-Value: not determined

Changes in the physical state

Melting point:	ca. 40 °C
Initial boiling point and boiling range:	>300 °C
Flash point:	>200 °C
Sustaining combustion:	No data available

Test method

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Quick-Tite – 5 MINUTE Epoxy P/N 70234 Resin

Print date: 08.05.2015

Page 6 of 10

Explosive properties

none

Lower explosion limits:

ca. 0,4 vol. %

Upper explosion limits:

not determined

Decomposition temperature:

not determined

Oxidizing properties

none

Vapour pressure:

not determined

Density:

~1,3 g/cm³

Water solubility:

not determined

Viscosity / dynamic:

not determined

9.2. Other information

Solid content:

not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

Hazardous polymerisation: Monomeric MDI can polymerise violently upon heating.

10.2. Chemical stability

Stable under normal storage and handling conditions.

10.3. Possibility of hazardous reactions

Reacts with : Water; Formation of: Carbon dioxide (CO₂)

10.4. Conditions to avoid

Keep away from heat.
Protect from moisture.
Protect against direct sunlight.
Avoid generation of dust.

10.5. Incompatible materials

Water, Oxidising agent, strong, Reducing agent, strong, alkali, Acid, Alcohols, Amines, Metal

10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide., Carbon dioxide (CO₂), Nitrogen oxides (NO_x), Hydrogen cyanide (hydrocyanic acid)

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No information available.

Acute toxicity

Harmful if inhaled.

ATEmix calculated

ATE (inhalative vapour) 11,11 mg/l; ATE (inhalative aerosol) 1,515 mg/l

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Quick-Tite – 5 MINUTE Epoxy P/N 70234 Resin

Print date: 08.05.2015

Page 7 of 10

CAS No	Chemical name	Exposure routes	Method	Dose	Species	Source
101-68-8	4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate	oral	LD50	>5000 mg/kg	Ratte	RTECS
		inhalative vapour	ATE	11 mg/l		
		inhalative (4 h) aerosol	LC50	(0,368) mg/l	Ratte	ECHA Dossier
26447-40-5	methylenediphenyl diisocyanate	inhalative vapour	ATE	11 mg/l		
		inhalative aerosol	ATE	1,5 mg/l		

Irritation and corrosivity

Causes skin irritation.
Causes serious eye irritation.

Sensitising effects

May cause an allergic skin reaction. (4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate), (methylenediphenyl diisocyanate)
May cause allergy or asthma symptoms or breathing difficulties if inhaled. (4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate), (methylenediphenyl diisocyanate)
Persons with a history of asthma, allergies, chronic or recurrent respiratory disease should not be exposed to any process in which this product is used.

STOT-single exposure

May cause respiratory irritation. (4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate), (methylenediphenyl diisocyanate)

Severe effects after repeated or prolonged exposure

May cause damage to organs through prolonged or repeated exposure. (4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate), (methylenediphenyl diisocyanate)

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing cancer. (4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate), (methylenediphenyl diisocyanate)
4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate:
In vitro mutagenicity/genotoxicity:
Method: Method B.13/14 (Mutagenicity - Reverse Mutation Test Using Bacteria)
Test result: negative.
literature information: ECHA Dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

12.4. Mobility in soil

No data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Quick-Tite – 5 MINUTE Epoxy P/N 70234 Resin

Print date: 08.05.2015

Page 8 of 10

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to EAKV:

Waste disposal number of waste from residues/unused products

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing dangerous substances
Classified as hazardous waste.

Waste disposal number of used product

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing dangerous substances
Classified as hazardous waste.

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances
Classified as hazardous waste.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: Not restricted
14.2. UN proper shipping name: Not restricted
14.3. Transport hazard class(es): Not restricted
14.4. Packing group: Not restricted

Inland waterways transport (ADN)

14.1. UN number: Not restricted
14.2. UN proper shipping name: Not restricted
14.3. Transport hazard class(es): Not restricted
14.4. Packing group: Not restricted

Marine transport (IMDG)

14.1. UN number: Not restricted
14.2. UN proper shipping name: Not restricted
14.3. Transport hazard class(es): Not restricted
14.4. Packing group: Not restricted

Air transport (ICAO)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Quick-Tite – 5 MINUTE Epoxy P/N 70234 Resin

Print date: 08.05.2015

Page 9 of 10

14.1. UN number: Not restricted

14.2. UN proper shipping name: Not restricted

14.3. Transport hazard class(es): Not restricted

14.4. Packing group: Not restricted

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Not restricted

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not restricted

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): No information available.

2004/42/EC (VOC): No information available.

Additional information

This preparation is hazardous in the sense of regulation (EC) No 1272/2008 [GHS].

Not subject to 96/82/EC

National regulatory information

Employment restrictions: Observe employment restrictions for young people. Observe employment restrictions for child bearing mothers and nursing.

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Rev. 1,00, 07.05.2015, Initial release

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations

Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Quick-Tite – 5 MINUTE Epoxy P/N 70234 Resin

Print date: 08.05.2015

Page 10 of 10

Relevant R-phrases (Number and full text)

- | | |
|----------|---|
| 20 | Harmful by inhalation. |
| 36/37/38 | Irritating to eyes, respiratory system and skin. |
| 40 | Limited evidence of a carcinogenic effect. |
| 42/43 | May cause sensitisation by inhalation and skin contact. |
| 48/20 | Harmful: danger of serious damage to health by prolonged exposure through inhalation. |

Relevant H- and EUH-phrases (Number and full text)

- | | |
|--------|--|
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |
| H334 | May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| H335 | May cause respiratory irritation. |
| H351 | Suspected of causing cancer. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| EUH204 | Contains isocyanates. May produce an allergic reaction. |

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Quick-Tite – 5 MINUTE Epoxy P/N 70234 Hardener

Print date: 08.05.2015

Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Quick-Tite 5 MINUTE Epoxy - HARDENER

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Adhesives, sealants

Uses advised against

any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name: The Maintenance Connection
Place: 31 Washington Ave., Scarborough, ME 04074
Telephone: 888-298-8585
Internet: www.TheMaintenanceConnection.com

1.4. Emergency telephone: 800-535-5053 (InfoTrac) 352-323-3500

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC

This mixture is not classified as hazardous according to Directive 1999/45/EC.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

This mixture is not classified as hazardous according to Regulation (EC) No. 1272/2008.

2.2. Label elements

2.3. Other hazards

No risks worthy of mention. Please observe the information on the safety data sheet at all times.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Further Information

Product does not contain listed SVHC substances.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Remove casualty to fresh air and keep warm and at rest. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

Wash immediately with: Water and soap. In case of skin irritation, consult a physician.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Quick-Tite – 5 MINUTE Epoxy P/N 70234 Hardener

Print date: 08.05.2015

Page 2 of 7

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. When in doubt or if symptoms are observed, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Extinguishing powder, Carbon dioxide (CO₂), Foam, Water spray jet

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide., Carbon dioxide (CO₂)

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothes.

Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section

8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing, gloves and eye/face protection. (See section 8.)

Advice on protection against fire and explosion

Usual measures for fire prevention.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Quick-Tite – 5 MINUTE Epoxy P/N 70234

Print date: 08.05.2015

Hardener

Page 3 of 7

Further information on storage conditions

Protect against: Heat, Humidity, UV-radiation/sunlight

7.3. Specific end use(s)

refer to chapter 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation.

Protective and hygiene measures

Always close containers tightly after the removal of product. Wash hands before breaks and after work.
When using do not eat, drink, smoke, sniff.

Eye/face protection

Recommended eye protection articles: Eye glasses with side protection DIN EN 166

Hand protection

In case of prolonged or frequently repeated skin contact: Wear suitable gloves. DIN EN 374 Suitable material:

CR (polychloroprene, chloroprene rubber) (0,5 mm)
NBR (Nitrile rubber) (0,35 mm)
Butyl caoutchouc (butyl rubber) (0,5 mm)
FKM (fluoro rubber) (0,4 mm)
PVC (Polyvinyl chloride) (0,5 mm)

Breakthrough time (maximum wearing time): >480 min

Check leak tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Protective clothing.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	Black
Odour:	characteristic

Test method

pH-Value:	not determined
-----------	----------------

Changes in the physical state

Initial boiling point and boiling range:	not determined
--	----------------

Flash point:	not determined
--------------	----------------

Sustaining combustion:	No data available
------------------------	-------------------

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Quick-Tite – 5 MINUTE Epoxy P/N 70234 Hardener

Print date: 08.05.2015

Page 4 of 7

Explosive properties

none

Lower explosion limits:

not determined

Upper explosion limits:

not determined

Decomposition temperature:

not determined

Oxidizing properties

none

Vapour pressure:

not determined

Density:

not determined

Water solubility:

not determined

Viscosity / dynamic:

not determined

9.2. Other information

Solid content:

not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable under normal storage and handling conditions.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Oxidising agent, strong, Reducing agent, strong, Strong acid, Strong alkali

10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide., Carbon dioxide (CO₂)

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicokinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

There are no data available on the mixture itself.

Severe effects after repeated or prolonged exposure

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Quick-Tite – 5 MINUTE Epoxy P/N 70234 Hardener

Print date: 08.05.2015

Page 5 of 7

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No information available.

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to EAKV:

Waste disposal number of waste from residues/unused products

160306 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes other than those mentioned in 16 03 05

Waste disposal number of used product

160306 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes other than those mentioned in 16 03 05

Waste disposal number of contaminated packaging

150106 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); mixed packaging

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: Not restricted

14.2. UN proper shipping name: Not restricted

14.3. Transport hazard class(es): Not restricted

14.4. Packing group: Not restricted

Inland waterways transport (ADN)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Quick-Tite – 5 MINUTE Epoxy P/N 70234 Hardener

Print date: 08.05.2015

Page 6 of 7

14.1. UN number: Not restricted

14.2. UN proper shipping name: Not restricted

14.3. Transport hazard class(es): Not restricted

14.4. Packing group: Not restricted

Marine transport (IMDG)

14.1. UN number: Not restricted

14.2. UN proper shipping name: Not restricted

14.3. Transport hazard class(es): Not restricted

14.4. Packing group: Not restricted

Air transport (ICAO)

14.1. UN number: Not restricted

14.2. UN proper shipping name: Not restricted

14.3. Transport hazard class(es): Not restricted

14.4. Packing group: Not restricted

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Not restricted

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not restricted

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): No information available.

2004/42/EC (VOC): No information available.

Additional information

This mixture is classified as not hazardous according to Regulation (EC) 1272/2008 [GHS]. Not subject to 96/82/EC

National regulatory information

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Rev. 1,00, 07.05.2015, Initial release

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association

Revision No: 1,00

GB - EN

Revision date: 07.05.2015

Safety Data Sheet

according to Regulation (EC) No 1907/2006

TURBO EPOXY – 5 MINUTE – HARDENER

Print date: 08.05.2015

Product code: Part # 000-25 RH/S (Hardener Syringe)

Page 7 of 7

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association"

(IATA) ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical

Society) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)